

101 669 178

COPY



PATENT

Practitioner's Docket No. 062020-1450

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number: 7,098,757

Issued: 08/29/2006

Name of Patentee: **Ayazi, et al.**

Title of Invention: **Electrically-Coupled Micro-Electro-Mechanical Filter
Systems and Methods**

**Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450**

**Attention: Decision and Certificate of Correction
Branch of the Patent Issue Division**

**Certificate
OCT 26 2006
of Correction**

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 C.F.R. § 1.322(a))**

1. Attached, in duplicate, is PTO/SB/44 (also Form PTO-1050), with at least one copy being suitable for printing.

NOTE: Form PTO-1050 (or PTO/SB/44), using the column and line number in the printed patent, should be used exclusively regardless of the length or complexity of the subject matter. M.P.E.P. § 1485, 7th ed.

NOTE: The patent grant should be retained by the patentee. The PTO does not attach the certificate of correction to the patentee's copy of the patent. The patent grant will be returned to the patentee if submitted. M.P.E.P. § 1485.

2. The exact page and line number where the errors are shown correctly in the application file are:

The inventor's last name (Farrokh Ayazi) is incorrect on the issued patent (spelled wrong as "Avazi"). The spelling of his name has been correct through the application (see Declaration, Corrected Filing Receipt, Issue Fee Transmittal, Issue Notification). Applicant requests that his last name be correctly spelled as "**Ayazi**".


NOTE: This information should be identified in this request; however, on Form PTO-1050, only the column and line number in the printed patent should be used. M.P.E.P. § 1485, 7th ed.

OCT 27 2006

3. Please send the Certificate to:

Name: **Scott A. Horstemeyer**

Address: Thomas, Kayden,
Horstemeyer, & Risley, L.L.P.
100 Galleria Parkway, Suite 1750
Atlanta, Georgia 30339



SIGNATURE OF PRACTITIONER

David Rodack, Reg. No. 47,034

(type or print name of practitioner)

Tel. No.: **(770) 933-9500**

Thomas, Kayden,
Horstemeyer, & Risley, L.L.P.
100 Galleria Parkway, Suite 1750
Atlanta, Georgia 30339

Customer No.: 24504

NOTE: The certificate of correction, under 35 U.S.C. 254, may be issued at the request of the patentee or [the patentee's] assignee." 37 C.F.R. §1.322(a). The certificate of correction can be signed by the attorney of record who acts on behalf of the inventor(s) or assignee(s).

CERTIFIED MAILING

I hereby certify that this correspondence is being deposited
with the United States Postal Service as "First Class Mail,"
in an envelope addressed to: Commissioner for Patents, P.O. Box
1450, Alexandria, VA 22313-1450 on

Oct. 19, 2006

Signature



OCT 27 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,098,757
APPLICATION NO.: 10/669,178
ISSUE DATE : 08/29/2006
INVENTOR(S) : Ayazi, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the front page of the patent:

Item [12] - delete the inventor name "Avazi, et al." and replace with --Ayazi, et al.--

Item [75] - delete the last name of the inventor "Avazi" and replace with --Ayazi--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

THOMAS, KAYDEN, HORSTEMEYER & RISLEY, L.L.P.
100 Galleria Parkway, Suite 1750
Atlanta, Georgia 30339

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

OCT 27 2006

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO. : 7,098,757

APPLICATION NO.: 10/669,178

ISSUE DATE : 08/29/2006

INVENTOR(S) : Ayazi, et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the front page of the patent:

Item [12] - delete the inventor name "Avazi, et al." and replace with --Ayazi, et al.--

Item [75] - delete the last name of the inventor "Avazi" and replace with --Ayazi--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

THOMAS, KAYDEN, HORSTEMEYER & RISLEY, L.L.P.
100 Galleria Parkway, Suite 1750
Atlanta, Georgia 30339

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

OCT 27 2006